CLUBCANNON® USER MANUAL





More info available @ CLUBCANNON.com

CONTENTS

1	INTRODUCTION
	• Getting familiar with the LED Attachment.
2.	INCLUDED COMPONENTS
	LED Attachment, Power Cord, Jumper Power Cord, DMX Cord, Safety Ring.
3.	QUICK START GUIDE
	 Unpacking Items, setting up the LED Attachment, installing on Co2 Jet, hooking up Power and DMX controls.
4.	DMX INSTRUCTIONS
	DMX modes & channeling.
	TECHNICAL SPECIFICATIONS
	Power requirements, consumption, size, weight & finish.
5.	TERMS & CONDITIONS
	 Including safe operation techniques, restrictions, and other important information.
6.	TECHNICAL SUPPORT
	Contact information and shipping address.

INTRODUCTION

Thank you for choosing Club Cannon® for your Co2 special effects equipment. Before use, we strongly suggest you read the user manual carefully. By following the instructions in the user manual, it will ensure your safety while operating the product(s), ensure you achieve the best effect, as well as inform you the correct way to care for and maintain the parts, in order to prolong the products lifespan.

SAFETY

- When attached to a Co2 Jet, never place objects of any kind inside the barrel.
- Never aim or fire the output at any person or living thing.
- Only use Co2 products in well-ventilated areas.
- When using the Products, make sure you are at least fifteen (15) feet away from people or other living things. tNever hold a Club Cannon[®] Product by the barrel, especially after it has been used, as it becomes extremely cold.
- Once the Product is attached to the CO2 Jet, and the tank is turned on, the gas passing through the Product will be under pressure. Do not disconnect the fitting connecting the hose to the Product until the tank has been turned off and the remaining gas has cleared through the hose to release the pressure.
- Jets & LED Attachments should be mounted or fixed in a safe place. When using these products above the ground, always use a safety cable in the event the Product's mount or fixture should fail for any reason. You must supply the safety cable(s) to use with the Jets. If you are under 18, you should not be using the Products.

WARNING



Carbon dioxide is known as an asphyxiant gas. Carbon dioxide poisoning has been linked to various health issues, including central nervous system damage, permanent deterioration of respiratory functions, suffocation or even death. If you have any health concerns that may be related to the Product's use of carbon dioxide, consult your doctor before using any of the Products.

Co2 Levels can be measured using a Co2 Monitor.

5,000 PPM is the workplace exposure limit in most jurisdictions.

Check with your local agency to verify any need for permits in your area.

INCLUDED ITEMS

The following components are included with every Club Cannon® LED Attachment. Double check your package to make sure you have every piece necessary for proper operation of your new LED Attachmentt.





TRUE1 Jumper PowerCON True 1 Jumper cable, used to feed power from a Co2 Jet.



TRUE1 Power Cord Edison to PowerCON True1 cord, suitable for up to 300VAC.



3 Pin DMX Cable

Connect the ouput from your Co2 Jet, to the input of the LED Attachment.



Sponge This should be placed around the barrel of your Co2 Jet when attaching the LED.



Safety Eye Bolt This can be threaded

Inis can be threaded into either side of the LED Attachment.

QUICK START GUIDE

]. Unpack All Items

Begin by unpacking all items included with the LED Attachment. You should have all the parts listed on the "Included Items" section of this manual.

2. Setting up The LED Attachment

Insert the included sponge inside the hole of the LED Attachment. Slide the LED over the barrel of the Co2 Jet, making sure the sponge remains flat, and does not bunch together. Ensure the magnets contact the body of your Co2 Jet. If mounting overhead, attach the included Eye Bolt, and hook up to a safety chain.

3. Hooking up the power & DMX

Once your LED Attachment is on your Co2 Jet, you can hook up your power and DMX cables. Use the included power & DMX jumper cables to avoid having to run separate power & DMX cables. Link up to 12 Co2 Jets & 12 LED attachments for each 15A breaker.

4. Setting the DMX address

Depending on your DMX controller, the LED Attachment has 4 DMX modes to choose from. Use the buttons below the digital display to set your DMX address and DMX mode. DMX channeling is listed above for reference.

5. Test Fire

Once everything is hooked up, test your LED Attachment and Co2 Jet together. We recommend testing before the Co2 tank is hooked up. Once all functions are verified, hook up your Co2 hose to the Co2 Jet. You are all set!

DMX CHANNELING

The LED Attachment has 4 DMX modes to choose from. To select the desired DMX mode, use the MENU and ENTER buttons below the display on the back of the LED Attachment. E

2 of the DMX Modes offer Macro control, which is a single channel that is capable of creating the most often used colors.

MACROS:

OFF	000-012
RED	013-025
GREEN	026-038
BLUE	039-051
CYAN	052-064
YELLOW	065-077
MAGENTA	078-090
AMBER	091-103
UV	104-116
СТО	117-129
UV+RED	130-150
FADE, S-F	150-200
JUMP, S-F	201-255

2 CH. MODE

DIMMER	000-255
MACRO	000-255

8 CH. MODE

000-255
000-255
000-255
000-255
000-255
000-255
000-255
000-255

5 CH. MODE

DIMMER	000-255
MACRO	000-255
GREEN	000-255
BLUE	000-255
CYAN	000-255

9 CH. MODE

DIMMER	000-255
RED	000-255
GREEN	000-255
BLUE	000-255
WHITE	000-255
AMBER	000-255
UV	000-255
MACRO	000-255
STROBE	000-255

TECHNICAL SPECIFICATIONS

POWER	85-264VAC input
	125w power consumption
	 16A passthrough with TRUE1
SIZE	 7" wide, 7" deep, 4 3/4" tall
WEIGHT	• 6 pounds
	 13 1/2 pounds with Co2 Jet equipped with the optional half coupler
	• 17 pounds when attached to the Club Cannon Co2 Jet with base plate.
COLOR	Body is powder coated steel

TERMS AND CONDITIONS

Use of the Club Cannon® products is subject to the following Terms and Conditions:

Club Cannon® products (collectively, the "Product" or "Products") are not toys. Any misuse of the Products could be extremely dangerous. Club Cannon® Products use carbon dioxide under high pressure to create special effects similar to a fog machine. They are not air cannons and should not be used to shoot projectiles in any fashion. Never place objects of any kind inside the barrel. Never aim or fire the Products are may person or using things. Never hit any person or object with any of the Products. The Products are meant to be used only in well-ventilated areas. When using the Products are meant to be used to so use or object with any of the Products. The Products are meant to be used only in well-ventilated areas. When using the Products for and are at least fitteen (15) feet away from people or other living things. Never hold a Club Cannon® Product by the barrel, especially after it has been used as it becomes extremely cold. Once the Products is attached to the CO2 tank and the tank is turned on, the gas passing frough the Product until the tank has been turned of and the remaining gas has cleared through the hose to release the pressure. Stationary Club Cannon® units (collectively, the "Let") should be mounted or stated in a safe place. When using the Jets above the ground, always use a safety cable in the event the Product's mount or fixture should fail for any reason. You must supply the safety cable(s) to use with the Jets. If you are under 18, you should not be using the Products.

Carbon dioxide is known as an asphyxiant gas. Carbon dioxide poisoning has been linked to various health issues, including central nervous system damage, permanent deterioration of respiratory functions, suffocation or even death. If you have any health concerns that may be related to the Product's use of carbon dioxide, consult your doctor before using any of the Products. To the extent you may have problems with your back, consult your doctor before using any of the Products in a portable fashion (such as, for illustration purposes only, using the Club Cannon® CO2 Tank Backpack).

You must supply the carbon dioxide tank to use with the Products. Club Cannon, LLC, a California limited liability company (the "Company"), accepts no responsibility for claims, damages, losses or injuries arising from the tank or any malfunction thereof.

Acknowledging the foregoing, you voluntarily assume all risks associated with the use of the Products with the full knowledge and appreciation of the risks involved.

The Company disclaims any liability for product defect claims that are due to misuse, improper product selection and/or misapplication of the Products. The Company offers a limited one year, (365) day warranty for each of the Products. If, during the ninety (365) day warranty period (the Warranty Period"), which shall commence on the original purchase date, a specific company offer product fails, the Company will repair or replace if at no cost to you. Notwithstanding the foregoing, the purchaser is responsible for all shipping charges associated with sending the Product to the Company for repair and for its return to the purchaser. If, however, any component of the Product fails there expiration of the Warranty Period, the Company coverage does not extend to those components or to any domage they may cause. After the expiration of the Warranty Period, the Company shall not be responsible for the performance of the Products, including any component(s) that were repaired or replaced. This limited warranty apply to failure caused by accident, alterations, misuse or abuse of the Products. This warranty is not fransferrable. At all times, the purchaser price of the Products shall be nonrefundable. Notwithstanding the foregoing, the Company may, in its discretion, accept the return of a new, unused Product in resalcable condition subject to a twentyfive percent (25%) restocking fee and payment by the purchaser of all shipping charges associated with the return of the Product to the Company. If the Company determines, in its reasonable discretion, that the returned Product has been used, no refund shall be issued to the purchaser.

The Products are provided on an "as is" with all faults basis and with no warranty except the express warranty set forth above. To the maximum extent permissible by law, the Company disclaims all other warranties, including, but not limited to, the implied warranty of merchantability and the implied warranty of filtness for a particular purpose. The use of the Products is at the sole risk of the user. Under no circumstances shall the Company, its members, managers, officers, agents, employees, successors or assigns be liable for any injuries or damages whatsoever to any person or property arising from the use of the Products, which shall include, but not be limited to, consequential, incidential, special, exemplary or punitive damages. To the maximum extent permissible by law, the Company's liability in all events is limited to, and shall not exceed, the purchase price paid for any Product that gives rise to any liability.

Excluding any services provided to you by the Company under a separate written agreement, these Terms and Conditions constitute the entire agreement between you and the Company regarding the use of the Products and supersede any and all previous and contemporaneous oral and written agreements between you and the Company regarding your use of the Products.

Club Cannon® and its associated logo are trademarks of the Company. You may not use any of the Company's trademarks or logos without the Company's prior written consent. Unless otherwise noted, all materials, including but not limited to the Company's Web site(s), all articles, text, graphics, logos, images, illustrations, designs, icons, photographs, video clips, audio clips, all menu pages, underlying HTML code, and software that is part of the Web site(s), are protected under copyright laws and are the trademarks, trade dress and/or other intellectual properties owned, controlled or licensed by the Company or are otherwise part of the public domain.

The Company's Web site(s) (excluding linked sites) is controlled by the Company from its office within the State of California, U.S.A. By accessing the Web site(s) and/or purchasing the Products, you and the Company agree that all matters relating to your access to, or use of, the Web site(s) and/or the Products shall be governed by the statutes and laws of the State of California, without regard to conflicts of laws principles. You and the Company agree and hereby submit to the exclusive personal jurisdiction and venue of the Superior Court of San Luis Obispo County and the United States District Court for the Central District of California without regard to conflicts of hewes the (s) and/or purchase the Products from locations outside California shall be responsible for compliance with local laws, if and to the extent local laws are applicable. Notwithstanding the foregoing, you agree that the Company shall still be allowed to apply for injunctive relief (or an equivalent type of urgent legal relief) in any jurisdiction.

Except for any claim seeking the exercise of the injunctive or equitable powers of a court of competent jurisdiction, any action to enforce or interpret this Agreement, or to resolve disputes with respect to this Agreement, shall be settled by arbitration in accordance with California Code of Civil Procedure Sections 1280 through 1294.2 and any successor provisions thereto. The provisions of California Code of Civil Procedure Section 1283.05 regarding the right to take depositions and obtain discovery shall apply to the arbitration. Arbitration shall be the exclusive dispute resolution process. Any party may commence arbitration by sending a written demand for arbitration to there parties. Such demand shall set forth the nature of the matter to be resolved by arbitration. The place of arbitration shall be in the County of San Luis Obispo, California. The substantive law of the State of California shall be applied by the arbitrator to the resolution of the dispute. The parties shall share equally all initial costs of arbitrations shall be final, binding, and conclusive on all parties. Judgment may be entered upon any such decision in accordance with applicable law in any court having jurisdiction thereof. The arbitrator (the arbitrator excision) arous cuch advisue a writi of enforce the arbitrator shall be final, binding, and conclusive on all parties. Judgment may be entered upon any such decision in accordance with applicable law in any court having jurisdiction thereof. The arbitrator (the arbitrator excision) arbitration and such activate arbitration enforce the arbitrator shall be final, binding, and conclusive on all parties. Judgment may be entered upon any such activate awith applicable law in any court having jurisdiction thereof. The arbitrator (the excision.

If, for any reason, a court of competent jurisdiction finds any provision of these Terms and Conditions, or portion thereof, to be unenforceable, that provision shall be enforced to the maximum extent permissible so as to effect the intent of the Company as reflected by that provision, and the remainder of these Terms and Conditions shall continue in full force and effect. Any failure by the Company to enforce or exercise any provision of these Terms and Conditions or related rights shall not constitute a waiver of that ight or provision.

If any legal proceeding, arbitration or other action is brought or threatened for the enforcement or interpretation of these Terms and Conditions, or because of an alleged dispute, breach, default or misrepresentation in connection with any of the provisions of these Terms and Conditions, and the prevailing party in any such action(s) should incur any legal fees, including, but not limited to, attorney's fees, paralegal fees, expert witness tees and other similar costs, the successful or prevailing party or parties to any such dispute or action shall be entitled to recover their reasonable attorneys' fees and additional legal costs incurred, logether with any other relief to which they may otherwise be entitled, as determined by an arbitrator, judge at trial, or upon appeal or petition.

The Company may make changes to these Terms and Conditions from time to time. When changes are made, the Company will post a new version of the Terms and Conditions on the Web site(s) and enclose a copy of the then-applicable Terms and Conditions in future purchases of the Products.

TECHNICAL SUPPORT



843 Via Esteban, STE 1; San Luis Obispo, CA 93401 Tel: 888-804-8175 info@clubcannon.com • www.clubcannon.com

© Club Cannon 2016